

MAGNETIC[®]
ACCESS TO PROGRESS

Access XXL Access barrier

Access Barriers For Wide Lanes

For wide lane use

For entrances to freight forwarders, company and port facilities, as well as on multi-lane roads – Magnetic XL2 and XXL barriers are the ideal solution when wide entrances of up to 28 ft (XL2) and up to 33 ft (XXL) have to be controlled with a single barrier. An optional barrier arm skirt also efficiently prevents intruders in security-relevant areas.

At the heart of the Access series is the innovative MHTM™ drive that is distinguished by its energy efficiency, lack of maintenance and long service life – the Access XL2 and XXL are designed for 2 million opening and closing cycles. Magnetic quality lies not just in the detail, but is also easily recognizable thanks to its stylish design. The Access series has already been awarded two design prizes.

- Large barrier width of up to 33 ft
- High security with optional barrier arm skirt
- Very low operating costs thanks to efficient and long-lived MHTM™ drive
- Ease-of-use and optimum accessibility thanks to well thought-out design
- Designed for 2 million opening and closing actions



For wide entrances

With maximum opening widths of 33 ft, the Access XXL is the ideal solution for wide entrances that have to be controlled with a single barrier. Thanks to high energy efficiency, extremely long service lives, and simple maintenance, barriers from Magnetic are particularly cost-effective.



Innovative drive technology

The MHTMTM drive unit operates without maintenance, energy-efficiently and quietly. Its high torque ensures best possible operation even under extreme weather conditions.



Legal security

Magnetic vehicular lift barriers have always been UL 325 approved. UL 325 ensures that our product guards against entrapment, fire, and electrical shock.



Easy access to components

Two simple hand movements suffice: easy access to the control system and drive unit by removing the hood and front panel. This increases user-friendliness and speeds up commissioning and servicing.

| Technical data | Access XXL |
|--------------------------------|----------------------|
| Barrier width | Max. 33 ft |
| Opening/closing time | 8.0 s |
| Power consumption | Max. 30 W |
| Drive technology | MHTM™ |
| Voltage | 85–264 VAC, 50/60 Hz |
| Duty cycle | 100% |
| Housing dimensions (W x D x H) | 17.1x1.42x46in |
| Enclosure rating | IP 54 |
| Temperature range | -22 to +131° F |
| Weight | 247 lb |

| Features | Access XXL |
|---|-------------------------------------|
| Standard colours | Orange (RAL 2000), White (RAL 9010) |
| VarioBoom barrier boom | MicroBoom XL |
| Control system | MGC Pro |
| Integrated 2-channel detector for induction loops | Standard |
| Modular expansion of control system | Freely expandable |
| Variable I/O assignment | Standard |
| No. of digital inputs | 8 |
| No. of relays/digital outputs | 6/4 |
| Input for safety light barriers | Standard |
| Selectable closing speed | Standard |
| Selectable opening speed | Standard |

| Options | Access XXL |
|--|------------|
| Special colours | ✓ |
| Pendulum support* | ✓ |
| Support post | ✓ |
| Barrier arm locking set | ✓ |
| Barrier arm illumination, red ¹ | ✓ |
| Light strips, red/green ² | ✓ |
| Warning lights | ✓ |
| Key operated switch | ✓ |
| Radio module | ✓ |
| Hood light | |
| Ethernet module | ✓ |
| RS485 module | ✓ |
| CAN module (counting) | ✓ |
| Second detector module | ✓ |
| GSM module | ✓ |
| Photoelectric light barrier | ✓ |

* Barrier arms over 19 ft must be supported with a pendulum support or with a support post

¹ With climb-over prevention only possible on the back of the barrier arm

² Not in combination with standard barrier arm skirt

- ACCESS
- PARKING
- TOLL
- TRAFFIC



Standard barrier colors

Standard door color



Orange
(RAL 2000)




White
(RAL 9010)




Black-Grey (Anthracite)
(similar to RAL 7021)

Dimensional drawings



From a passage width (D) of more than 20 ft the barrier arm consists of two profiles



Access to Progress

Magnetic stands for pioneering products – in every way. Our access control systems for vehicles or pedestrians clear the way for thousands of people every day – at car parks, toll gates, stations, airports and in buildings. Our technology is also pioneering, however: with innovative drives, intelligent control systems and well thought-out details it provides maximum safety and longevity. Are you also on the path to Magnetic?



Vehicle barriers

- Access barriers
- Parking barriers
- Toll barriers
- Traffic Barriers
- Special barriers



Pedestrian gates

- Turnstiles
- Swing gates
- Tripod gates
- Retractable gates
- Wing gates



Terminals

- Cars
- Trucks

Germany

MAGNETIC AUTOCONTROL GMBH

Grienmatt 20
79650 Schopfheim
Phone +49 7622 695-5
Fax +49 7622 695-800
E-mail info@magnetic-germany.com

Australia

MAGNETIC AUTOMATION PTY LTD

38 Metrolink Circuit
Campbellfield, VIC 3061
Phone +61 3 9339 2900
E-mail info@magnetic-oz.com

Austria

FAAC GMBH

Münchner Bundesstraße 123
5020 Salzburg
Phone +43 662 853395-0
E-mail at.info@faacgroup.com

Benelux countries

FAAC BENELUX NV/SA

Industriezone 3B
8490 Jabbeke
Belgium
Phone +32 50 320202
E-mail info@magnetic-benelux.com

Brazil

MAGNETIC AUTOCONTROL LTDA

Av. Salim Antônio Curiati, 136
04690-050 – São Paulo
Phone +55 11 5660 8500
E-mail info@magnetic-br.com

China

MAGNETIC CONTROL SYSTEMS CO.,

No. 3 Building, No. 51
Lane 1159, Kang Qiao (East) Road
Kang Qiao Industrial Zone, Shanghai
Phone +86 21 68182970
E-mail info@magnetic-cn.com

France

FAAC FRANCE

377 Rue Ferdinand Perrier
69808 St Priest Cedex
Phone +33 4 72 21 86 89
E-mail info@magnetic-fr.com

India

MAGNETIC FAAC INDIA PVT LTD.

PRS Centre
Plot No. 373 to 376, 2nd Floor (West Wing)
1st Cross Street, Nehru Nagar
Old Mahabalipuram Road
Kottivakkam (Opp Rayala Technopark, Perungudi)
Chennai 600041
Phone +91 44 421 23297
E-mail info@magnetic-india.com

Middle East

FAAC MIDDLE EAST FZE

Dubai Silicon Oasis
PO Box 54886
Dubai
United Arab Emirates
Phone +971 4 3724193
E-mail info@magnetic-uae.com

N. and S. America (excl. Brazil)

FAAC INTERNATIONAL, INC

3160 Murell Road
Rockledge, FL 32955
USA
Phone +1 321 635 8585
E-mail info@magnetic-usa.com

Scandinavia

FAAC NORDIC AB

Box 125
284 22 Perstorp
Sweden
Phone +46 435 77 95 03
E-mail info@magnetic-nordic.com

Southeast Asia

MAGNETIC CONTROL SYSTEMS SDN.

No. 17, Jalan Anggerik Mokara 31/54 Taman
Perindustrian Kota Kemuning
40460 Shah Alam
Selangor Darul Ehsan
Malaysia
Phone +60 3 5123 0033
E-mail info@magnetic-malaysia.com